

# Product instructions for use

## INSTALLATION MANUAL

Product name: F19 anti-overturning frame

### PRODUCT NAME:

#### 一、 matters need attention

##### 1. NOTICE:

- For your installation, please read the instruction manual carefully before installation; Protect the surface of your car and avoid scratches.
- Please check all the accessories for loose parts to ensure safe use.
- All the pictures in this manual are for reference only. The pictures may be different from the real object, but the installation method is the same.
- For the convenience of installation, please read the goods manual carefully before installation ; When installation, please pay attention to protect your cars surface, and avoid scratches.
- Please check all the accessories connected to the car whether loose or not, and ensure the security. Clean the side bar regular to keep it clean.
- All the pictures in this manual are only for reference, the picture and material object may have different, but the installation method is the same.


##### 2. Basic accessories two, PART LIST


NO.	Description	QTY	SIZE	NO.	Description	QTY	SIZE
-----	-------------	-----	------	-----	-------------	-----	------

①	Front transverse pipe installation body	1		⑬	lock washer	14	φ 8
②	Front supervisor mounting body (left)	1		⑭	lock washer	8	φ 10
③	Front Head installation body (right)	1		⑮	flat washer	14	δ 2.0 φ 8*20
④	Rear main mounting body (left)	1		⑯	flat washer	2	δ 2.0 φ 10*20
⑤	Rear main mounting body (right)	1		⑰	Flat head riveting nut	4	M10-ML10
⑥	Side mark panel mounting body (left)	1		⑱	Inner hexagonal flat round head bolt	2	M10*35
⑦	Side mark panel mounting body (right)	1		⑲	Inner hexagonal flat round head bolt	2	M10*25
⑧	Installation body of the intermediate trim parts	1		⑳	flat washer	6	φ 10*25*2.5
⑨	φ 76 tube sleeve (with R)	2	PA6	㉑	φ 22 glue plug	2	rubber
⑩	Inner hexagonal flat round head bolt	14	M8*20	㉒	flat washer	12	δ 1.5 φ 8 x20
⑪	Inner hexagonal flat round head bolt	2	M8*20	㉓	lock washer	2	φ 8
⑫	hexagon headed bolt	4	M10*35	㉔	Mat board nut	4	

REMARK: The same installation for bracket.

### 3. Installation schematic diagram: INSTALLATION MAP





4. Installation step INSTALLATION PROCEDURE:

Step 1: Refer to the accessories list and the drawings to check whether the accessories are complete.

Step 1: Refer to the parts list and parts diagram and check accessories are complete or not.

Step 2: Install the left bracket and the right bracket with referring to the bottom of the vehicle.

Step 2: For the quickly of installation, according with bracket installation map distinguishes left and right, then tight the bracket is finished.

Step 3: Install the bar body on the bracket and then adjust the installation position of the bracket according to the position of the bar body.

Step 3: Remove the Mud from bottom, fixing the bracket on the bottom.

Step 4: Check whether each standard parts are aligned, and then tighten the standard parts

Step 4: Double check the accessories are complete and tighten.

5. Disclaimer: Related problems and losses caused by improper installation and use are not within the warranty scope of our company.

Disclaimer: Caused due to improper installation initiates some related problem and losses, are beyond our company's quality assurance.

